

SOV/101-59-5/2/11

The Automatic Regulation of the Charging of Tube-Ball Mills

amount of material fed into the mill (Figure 1). Regulation of the charging is done by the "Pendan" type dosing device, in which a belt conveyor functions simultaneously as a weigher and as a feeder. Such an arrangement maintains a definite relation between the variable amount of the material charged into the chamber and the position of the dose distributor. Figure 2 shows the above arrangement. A static regulation of the charging of chamber I of the raw material mill is shown in Figure 3. This regulation assembly has been tested at the "Oktyabr", Nizhne-Tagil'skiy and Leningradskiy tsementnyye zavody ("Oktyabr", Nizhniy-Tagil and Leningrad Cement Plants). Automatic regulation increases the productivity of the mills by about 5 to 10%. The authors conclude that depending upon the readiness of the plant, automatic regulation will be introduced at all cement plants, using the wet grinding process.

There are 3 diagrams.

GIRSHOV, L. A. (Leningrad); GEL'MAN, I. V. (Leningrad); DOBRIN, L. A.
(Leningrad)

Some engineering methods for analyzing control objects with
monotonous transitive functions. Avtom. i telem. 23 no.9:
1210-1214 S '62. (MIRA 15:10)

(Automatic control)

NESMEYANOV, A.N.; NOGINA, O.V.; BERLIN, A.M.; GIRSHOVICH, A.S.; SHATALOV, G.V.

Acyl and alkoxyl derivatives of bis-(cyclopentadienyl)titanium and
the refraction increment of the $-C_5H_5Ti$ group. Izv. AN SSSR
Otd.khim.nauk no.12:2146-2151 D '61. (MIRA 14:11)

1. Institut elementoorganicheskikh soyedineniy Akademii nauk SSSR.
(Titanium compounds)

L 18184-63 EWP(j)/EPF(c)/EWT(m)/BDS ASD Pc-4/Pr-4 RM/MAY/WW
ACCESSION NR: AP3006746 S/0190/63/005/009/1284/1287 70
63

AUTHOR: Korshak, V. V.; Sladkov, A. M.; Luneva, L. K.; Girshovich,
A. S.

TITLE: Synthesis and study of polymers containing allyloxytitanocene

SOURCE: Vy*sokomolekulyarny*ye soyedineniya, v. 5, no. 9, 1963,
1284-1287

TOPIC TAGS: titanium compounds, titanocene, dicyclopentadienyl-
titanium(IV) dichloride, allyl alcohol, allyloxytitanocene,
allyloxydicyclopentadienyltitanium(IV) chloride, synthesis, polym-
erization, polymer, dicyclopentadienyltitanium(IV) dichloride,
trimer, styrene, methyl methacrylate, copolymerization, copolymer,
allyloxydicyclopentadienyltitanium(IV). polymer with styrene,
styrene. polymer with allyloxydicyclopentadienyltitanium, allyloxy-
dicyclopentadienyltitanium(IV). polymer with methyl methacrylate,
methyl methacrylate. polymer with allyloxydicyclopentadienyltita-
nium, copolymer structure, copolymer property

L 18184-63

ACCESSION NR: AP3006746

ABSTRACT: The synthesis of allyloxytitanocene [allyloxydicyclopentadienyltitanium chloride] (I) and its polymerization and copolymerization with styrene or methyl methacrylate have been studied. After an unsuccessful attempt to synthesize bis allyloxytitanocene [bis(allyloxy)dicyclopentadienyltitanium] from 1 mol titanocene [dicyclopentadienyltitanium dichloride] and 2 mols allyl alcohol, I was prepared from stoichiometric amounts of the starting materials in the presence of ammonia to bind HCl. The structure of I was determined by IR spectroscopic analysis. Polymerization of I in toluene solution at 100C for 10 hr in the presence of 0.1% benzoyl peroxide yielded the trimer of I, as shown by molecular-weight measurements and IR and elemental analysis data. Copolymers of I, together with polystyrene or poly(methyl methacrylate), were produced by heating 10% I solutions in styrene or methyl methacrylate at 120C for 3 hr in the presence of 0.5% benzoyl peroxide. The copolymers are orange transparent solids with molecular weights of 22,100 and 70,000. IR spectroscopic analysis of the copolymers showed that the titanocene groups [sic] are located in the side chains and that the backbones of the copolymers differ from those

L 18184-63

ACCESSION NR: AP3006746

of polystyrene and poly(methyl methacrylate). The softening point of the copolymer with styrene (120C) is higher than that of polystyrene (100C). Orig. art. has: 2 figures.

ASSOCIATION: Institut elementoorganicheskikh soyedineniy AN SSSR
(Institute of Organoelemental Compounds, AN SSSR)

SUBMITTED: 23Dec61

DATE ACQ: 30Sep63

ENCL: 00

SUB CODE: CH

NO REF SOV: 003

OTHER: 002

GIRSHOVICH E.A.

ZVYAGIN, L.M., kandidat meditsinskikh nauk; GIRSHOVICH, E.A.; SOMOVA, V.V.

Transfusion of N.G. Belen'kii's therapeutic serum in insufficient lactation. Akush. i gin. no.3:51-54 My-Je '55 (MLRA 8:10)

1. Iz gospi'tal'noy khirurgicheskoy kliniki (zav. kafedroy-prof. F.G.Uglov) i akushersko-ginekologicheskoy kliniki (zav.kafedroy-prof. I.I.Yakovlev) i Leningradskogo meditsinskogo i stituta imeni akad. I.P.Pavlova)

(LACTATION DISORDERS

hypogalactia, ther.,serum of Belen'kii)

(BLOOD SERUM

serum of Belen'kii in ther. of hypogalactia)

GIRSHOVICH, M.G.

High-speed machine-tool attachments for small-lot production. Stan.i
instr. 31 no.10:34-35 O '60. (MIRA 13:10)
(Machine tools—Attachments)

ACC NR: AP6021831

SOURCE CODE: UR/0413/66/000/012/0171/0171

INVENTOR: Girshovich, M. G.; Kilyakov, A. D.; Kozhevin, I. A.

ORG: None

TITLE: Stocks for assembling cylindrical and tapered aircraft sections. Class 87, No. 183136

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 12, 1966, 171

TOPIC TAGS: aircraft industry, aircraft fuselage, aircraft maintenance equipment


ABSTRACT: This Author's Certificate introduces: 1..Stocks for assembling cylindrical and tapered sections and other similar structures. The section end ribs rest on joint rings which are fixed to mutually parallel horizontal support plates. The lower plate is fixed while the upper plate can be moved. These plates are located between vertical columns which in turn are rigidly fixed to a stationary base. Setup time is cut during changeover from one type of assembly to another, and the number of required tools and attachments is minimized by equipping the stocks with a coordinate unit consisting of a lower support plate with a turret which can rotate about the vertical axis, a vertical bar which is fixed at the turret end and other supports which have horizontal bars. Each of these bars may be moved in a horizontal direction and carries a working tool such as a holding device or a trimming head. 2. A

Card 1/2

UDC: 621.757:629.13.012.2

ACC NR: AP6021831

modification of this device with a vertical bar equipped with a vernier scale. 3. A modification of this device for cutting setup time during assembly of periodically repeated batches of aircraft sections. The horizontal and vertical bars are equipped with slats, the lower support plate is fitted with rings, and the supports and turret have jig guides for boring index pin holes in the slats and rings.



1—lower support plate; 2—turret; 3—vertical bar; 4—supports
5—horizontal bar

SUB CODE: 01,13/ SUBM DATE: 01Feb65

GIRSHOVICH, M.I.

112-1-1420

Translation from: Referativnyy Zhurnal, Elektrotehnika, 1957,
Nr 1, p. 215 (USSR)

AUTHORS: Brik, Ye.A., Girshovich, M.I.

TITLE: Automation of the Drying-and-Impregnating Processes
of Power Cables (Avtomatizatsiya sushil'no-propitochnogo
protssessa silovykh kabeley)

PERIODICAL: Inform. tekhn. sb. M-vo elektrotekhn. prom-sti SSSR,
1956, Nr 4(88), pp.19-21

ABSTRACT: Bibliographic entry

Card 1/1

GIRSHOVICH, M. V. Cand. Physicomath Sci.

Dissertation: "Geometrical Constructions on Lobachevskiy's Plane." Moscow State
Pedagogical Inst. imeni V. I. Lenin 22 Dec. 1947.

SO: Vechernyaya Moskva. Dec. 1947 (Project #17836)

"APPROVED FOR RELEASE: Tuesday, September 17, 2002
APPROVED FOR RELEASE: Tuesday, September 17, 2002

CIA-RDP86-00513R000
CIA-RDP86-00513R0005

GIRSHOVICH, M.V. (Kalinin)

Solvability conditions for second-degree construction problems on a Lobachevskii plane using a straightedge alone. Izv. vys. ucheb. zav.; mat. no. 5:30-38 '63. (MIRA 16:11)

Theory of the malleabilizing process. N. G. GURTSOVA and E. K. VILIS. *Trudy Inst. Metals* (Moscow) No. 4, 3 (17). (English summary) 1920. — The authors explain the mechanism of graphitization and decarburization of white cast Fe. Direct formation of temper C takes place in the attainment of equil. after decompos. of all free cementite. The growth of castings is due to the decompos. of cementite and depends

on the amt. of temper C formed during annealing, and on the amt. of C oxidized out of the cementite or the solid soln. C. Z. ROSENBERG

1. METALLURGICAL LITERATURE CLASSIFICATION

"APPROVED FOR RELEASE: Tuesday, September 17, 2002

APPROVED FOR RELEASE: Tuesday, September 17, 2002

CIA-RDP86-00513R000

CIA-RDP86-00513R0005

ca

9

Comparative oxidizability of graphite and temper carbon. N. G. GORSHOVICH AND
E. K. VITUS. *Vestnik Metalloproмышленnosti* (Moscow) No. 11, 1951, 1121-1124.
View of recent research in Germany and results of exptl. studies made at the Inst. of Metals
in Leningrad explaining why malleable castings cannot be made from gray cast iron.
E. I. S.

ASAC 55A METALLURGICAL LITERATURE CLASSIFICATION

ca

9

The effect of silicon on ductility of malleable iron. N. G. GIBSHADJIAN AND E. K. VIDIN. *Nedzhdeniya Vsesoyuznogo Inst. Metal.* 1931, Nos. 1-2, 30-3. In hard castings tensile strength increases and sp. gr. decreases with increase of Si, while hardness is not affected. Ductility gradually increases with Si content and shrinkage increases at first up to 0.80% Si and then decreases. In tempered samples Si showed no effect on tensile strength, while sp. gr. decreased with increase of Si. For the ordinary European malleable iron it is best to keep to the limits of 0.4-0.7% Si, depending on the amt. of S and tempering temp. The lower limit applies to low S and highly heated metal, while the upper limit applies to high S and low heating temp. S. L. MADORSKY

ASH 31.4 METALLURGICAL LITERATURE CLASSIFICATION

SECTION 31.4

SECTION 31.4

SECTION 31.4

CO

Metting black heart malleable iron in a cupola furnace.
E. K. Vidin and N. G. Gushchinsk. *Repts. Inst. Metals*
(Leningrad) No. 14; 3-11 (in German) (2)(1933). The
cupola furnace is rarely used for the prepn. of malleable
Fe, because of the excessive absorption of C into the
metal in this type of furnace. A method has been worked
out by which the Fe is first melted in a cupola and de-
carburized to the required point in the blistering process.
This method is used on a large scale at the Leger plant in
Leningrad for the production of black heart malleable Fe
of required content of Si, S, Mn and C. S. L. M.

ASB 55.6 METALLURGICAL LITERATURE CLASSIFICATION

Production of low-carbon cast iron in a cupola furnace
N. G. Gerasimovich, *Metalurg 10*, No. 5, 1965, 1435.
Primarily from theoretical considerations, G. shows that steel scrap charged to a cupola furnace is carburized by the cupola gases above the tuyère zones. Below the tuyères, carburization occurs because of contact with coke. The extent to which these reactions proceed depends on the temp., time of contact, properties of the coke and the compn. of the gases. To decrease the time of contact below the tuyères, the tuyère zone may be lowered. A cupola thus constructed operated satisfactorily with a charge of 65% steel scrap and 35% Fe-Si. The cast iron produced contained 1.7% C and was hot enough to cast in their sections.
H. W. Rahnmann

Desulfurization of cast iron during melting in the cupola. P. P. Berg and N. G. Ginzovich. *Lutetiae Delo* 1940, No. 8-9, 10-13. — Ordinary compn. and the concn. of S in metal and slag during melting in the cupola are such that there is no migration of S from the slag to the cast Fe. Desulfurization of the cast Fe with soda takes place by the formation of Na_2S and the soln. of FeS and MnS in soda slag. The desulfurizing action of soda is greater the greater the ratio of Na_2O to SiO_2 and it is significant even with a 2nd treatment of the metal with the soda slags. Reuse of the slags a 3rd time is suggested. B. Z. Kanich

"APPROVED FOR RELEASE: Tuesday, September 17, 2002

CIA-RDP86-00513R000

~~APPROVED FOR RELEASE: Tuesday, September 17, 2002~~

~~CIA-RDP86-00513R0005~~

GIRSHVICH, N. [G]

Cast-iron founding. A textbook
Leningrad, Gos. nauchno-tekhn. izd-vo lit-ry po cherno i tsvetnoi metallurgii, 1949.
708 p. (50-37376)

TN710.G5

GIRSHOVICH, N. G.

USSR/Metals - Cast Iron, Technology,
Processes

Jan 52

"On Certain Theoretical Problems of Melting Cast
Iron in a Cupola," N. G. Girshovich, Dr Tech Sci,
Leningrad Polytech Inst imeni Kalinin

"Litey Proizvod" No 1, pp 20-23

Analyzes effect of various factors on melting
process in cupola, such as: zones of combustion,
excess of air, melting belt, compn of cupola gases
and its relationship to temp in furnace, amt of
air blown into cupola, productive capacity of
cupola.

204T69

"APPROVED FOR RELEASE: Tuesday, September 17, 2002

CIA-RDP86-00513R000

APPROVED FOR RELEASE: Tuesday, September 17, 2002

CIA-RDP86-00513R0005

~~GIRSHOVICH, N.G.~~

GIRSHOVICH, N.G.

USSR

Girshovich, N. G. / Spetsvozhnik masters po chugunomu
litaniyu (Specialized Skilled Workers on Iron Casting).
Leningrad: Otdel'naia Mash. Tekh. Leningradskaya
skola. / Gubakhtovskiy: M., Leningrad. Otdel. 1955. 562
pp.

Handwritten signature

1. GIRSHOVICH, N.G.
2. USSR (600)
4. Cast Iron
7. Disputable questions in the theory of graphitization, N.G. Girshovich, Lit. proizv. no. 4 '53.

9. Monthly List of Russian Accessions, Library of Congress, APRIL 1953, Uncl.

SOV 137-57-11-22365

Translation from: Referativnyy zhurnal, Metallurgiya, 1957, Nr 11, p 246 (USSR)

AUTHORS Girshovich, N.G., Maksimov, S.K., Mikhaylov, V.A.

TITLE The Properties of Nodular Cast Iron at Elevated Temperatures and the Possibilities for its Employment as Reinforcement Metal (Svoystva chuguna s sharovidnym grafitom pri povyshen-nykh temperaturakh i vozmozhnost' yego ispol'zovanya dlya armatury)

PERIODICAL V sb.: Polucheniye otlivok iz vysokoprochnogo chuguna. Moscow, Izd-vo AN SSSR, 1955, pp 114-123

ABSTRACT An investigation was made of the mechanical properties of cast irons, namely, ferritic and pearlitic-ferritic malleable, inoculated gray, high-strength pearlitic (HSP) and ferritic (HSF), and cast steel (Nr 25 steel) at $\leq 500^{\circ}\text{C}$ under short and long-term loadings. σ_b and σ_s diminish with increase in temperature. HSP shows the greatest strengths, and inoculated cast iron and ferritic malleable cast iron show the lowest, with Nr 25 steel, HSF, and pearlitic-ferritic cast iron occupying intermediate positions, δ rising with temperature. δ is highest in the case of Nr 25 steel and is followed by HSF, then

Card 1/2

SOV/137-57-11-22365

The Properties of Nodular Cast Iron at Elevated Temperatures (cont.)

HSP, etc. Long preliminary soaking at high temperature results in a decline in strength and a rise in δ . High strength cast iron becomes brittle when held in the 400-550° interval. HSI reveals the maximum strength and the minimum rate of drop therein under long soaking. At 500°, the σ_B is as follows, in kg/mm²: 13.2 for HSP, 10.9 for Nr 25 steel, 0.1 for pearlitic-ferritic malleable cast iron, 8.0 for HSF, 7.4 for ferritic cast iron, and 7.0 for inoculated gray iron. Under these temperature conditions as well, δ is higher for steel (16-22%) than for pig iron (6-12%). The increase in the cast iron at 500° is as follows in %: 0.2 for HSP and inoculated gray iron, 0.12 for pearlitic-ferritic malleable cast iron, 0.05 for ferritic malleable cast iron, 0.06 for HSF. At 425°, $\sigma_{ductility}$ is as follows, in kg/mm²: 7.8 for HSF, 6.1 for pearlitic-ferritic malleable cast iron, 5.6 for ferritic malleable cast iron, and 8 for Nr 25 steel. Direct tests of reinforcement show that when brittleness is eliminated high-strength cast iron is close to Nr 25 and may be used at temperatures of up to 425° and a nominal pressure of ≤ 40 kg/cm².

Card 2/2

A 1.

Girshovich, N.G.

Effect of adding Khadloy and iron on mechanical properties of castings at elevated temperatures. N.G. Girshovich and L.M. Ioffe. *Trudy Promyshl. 1955*, No. 7, 1-4. Tensile strength of iron castings: CS 5, Mn 0.5, Si 0.5, P 0.02 and S 0.06% unalloyed and alloyed with 1.22% Cr and 0.22% Ni (modified with CuSi) 0.40% Cr and 0.22% Ni, 1.06% Cr and 0.68% Ni and heated for 150 and 300 hrs. at 380-600° is given in diagrams indicating that the presence of Cr and Ni retards the softening effect of heating. This is connected with a comparative stability of a pearlitic matrix of the alloyed iron and granulation of unalloyed. Creep strength results run for 10,000 hrs. parallel to those of the tensile testing. On the basis of data collected a set of diagrams for determining the structure of these iron as a function of Si and C is given. (D. G. G. 1955)

for

"APPROVED FOR RELEASE: Tuesday, September 17, 2002
APPROVED FOR RELEASE: Tuesday, September 17, 2002

CIA-RDP86-00513R000
CIA-RDP86-00513R0005

GIRSHOVICH, N.G., professor, doktor tekhnicheskikh nauk; NEKHENDZI, Yu.A.,
professor, doktor tekhnicheskikh nauk.

Analytic solutions for simple problems on solidification of
castings with varying configurations. Lit.proizv. no.4:13-17
Ap '56. (MLRA 9:7)
(Founding--Tables, calculations, etc.)(Solidification)

GIRSHOVICH, N.G., doktor tekhnicheskikh nauk; NEKHREMDZI, Yu.A., doktor
tekhnicheskikh nauk.

Analytic solution of simple problems on the solification of
various configurational castings. Lit.proizv. no.6:14-18 Je '56.
(MLRA 9:8)

(Solidification) (Founding)

GIRSHOVICH, N.G., doktor tekhnicheskikh nauk.

The shape of head metal. Lit.proizv. no.10:32 0 '56. (MIRA 9:11)
(Founding)

APPROVED FOR RELEASE: Tuesday, September 17, 2002

CIA-RDP86-00513R0005

"APPROVED FOR RELEASE: Tuesday, September 17, 2002

CIA-RDP86-00513R000

~~APPROVED FOR RELEASE: Tuesday, September 17, 2002~~

~~CIA-RDP86-00513R0005~~

GIRSHOVICH, N. G.

GIRSHOVICH, N.G.; NEKHENDZI, Yu.A.

Foundry practices in Leningrad. Lit.proizv. no.10:13 0 '57.

(MIRA 10:12)

(Leningrad--Founding)

"APPROVED FOR RELEASE: Tuesday, September 17, 2002

CIA-RDP86-00513R000

~~APPROVED FOR RELEASE: Tuesday, September 17, 2002~~

~~CIA-RDP86-00513R0005~~

GIRSHOVICH, N.G.; DLUGACH, L.S. [deceased]

New method for testing cast iron. *lit.proizv.* no.12:22-23 D '57
(MIRA 11:1)

(Cast iron--Testing)

GIRSHOVICH N.G.

PHASE I BOOK EXPLOITATION 1216

Soveshchaniye po teorii liteynykh protsessov. 2d, Moscow, 1956

Zatverdevaniye metallov; trudy soveshchaniya... (Solidification of Metals; Transactions of the Second Conference on the Theory of Foundry Processes) Moscow, Mashgiz, 1958. 532 p. 3,500 copies printed.

Sponsoring Agencies: AN SSSR. Institut mashinovedeniya. Komissiya po tekhnologii mashinostroyeniya; and AN SSSR. Institut metallurgii.

Ed. (Title page): Gulyayev, B.B., Doctor of Technical Sciences, Professor; Ed. (Inside book): Novikov, P.G., Candidate of Technical Sciences; Ed. of Publishing House: Chernysheva, N.P.; Tech. Ed.: Uvarova, A.F.; Managing Ed. for Literature on Heavy Machine Building: Golovin, S.Ya., Engineer.

PURPOSE: This book is intended for a wide circle of engineers, technicians, and scientists working in the fields of general metallurgy, physical metallurgy, and the production of castings.

Card 1/8

3

Solidification of Metals (Cont.)

1216

COVERAGE: The book is a collection of 29 papers concerned with the determination of fixed patterns of metal solidification and also with the determination of favorable conditions for the production of sound castings. The authors discuss heat phenomena in metallic and sand molds, properties of mold materials, conditions of solidification of castings in shell molds, kinetics of the warming-up of porous bodies (molds), effect of alloy composition on the solidification process, conditions for the development of a zonal structure and of chemical heterogeneity of castings, and other matters of current interest. There are also discussions of the use of model testing and radioactive isotopes for studying solidification. No personalities are mentioned.

TABLE OF CONTENTS:

Preface 3

Gulyayev, B.B., Doctor of Technical Sciences, Professor.
Present State of Investigations of Metal-solidification
Processes 5

Card 2/8

Solidification of Metals (Cont.)

1216

I. HEAT-TRANSFER PROCESSES IN THE SOLIDIFICATION OF CASTINGS

Berg, P.P. Principles for Constructing Production Formulas for
Evaluating Heat Processes in the Casting Mold 33

Girshovich, N.G., Doctor of Technical Sciences, Professor; and
Yu.A. Mekhendzi, Doctor of Technical Sciences, Professor.
Solidification of Castings 39

Veynik, A.I., Doctor of Technical Sciences, Professor. Inves-
tigation of Heat Phenomena in Metallic Molds and Their Effect
on Solidification Processes 91

Gulyayev, B.B., Doctor of Technical Sciences, Professor; and
O.N. Magnitskiy, Engineer. Investigation of the Effect of
Alloy Composition on the Kinetics of the Solidification of
Castings 108

Skvortsov, A.A., Candidate of Technical Sciences, Docent. On
the Solution of the Problem of the Solidification of Metals
Within a Temperature Range 124

Card 3/8

S07/163-58-1-11/53

AUTHORS: Girshovich, N. G., Nekhendzi, Yu. A., Lebedev, B. I.

TITLE: The Resistance to Cracking of Iron-Carbon Alloys (Treshchinnoustoychivost' zhelezouglerodistykh splavov)

PERIODICAL: Nauchnyye doklady vysshey shkoly. Metallurgiya. 1958, Nr 1, pp 48-54 (USSR)

ABSTRACT: The resistance to cracking of iron-carbon alloys was quantitatively investigated. A special method based on the determination of the electric resistance was used for the investigation of the resistance to cracking. A jump-like change in the electrical resistance is caused by the formation of cracks in the alloys. The alloys investigated in addition to carbon also contained 0.35 - 0.45 % silicon, 0.7 - 0.8 % manganese, 0.035 % sulfur and 0.05 - 0.06 % phosphorus. Alloys with a content of 0.2 % carbon are characterized by a higher resistance to cracking. The decrease of the carbon content therefore causes sharp decrease in the resistance to cracking. Iron alloys with a graphite system have a higher resistance to cracking than alloys with a cementite system.

Card 1/2

The Resistance to Cracking of Iron-Carbon Alloys

SOV/163-58-1-11/53

The resistance to cracking of iron-carbon alloys as well as of the graphite and cementite systems was compared at a temperature of 50°C. The influence of sulfur and phosphorus on the resistance to cracking was investigated as well. Phosphorus exerts a considerable influence on the resistance to cracking in the alloys only in the case of low sulfur content. In metallurgical investigations it is shown that in the case of a higher sulfur content the sulfides enclosed accumulate at the boundary of the primary crystals of the alloys, which fact represents a decrease in the intercrystalline strength, and which represents a factor promoting the formation of cracks.

The investigation of the influence of casting temperatures on the resistance to cracking shows that when the casting temperatures are raised the resistance to cracking is decreased. There are 4 figures, 3 tables, and 1 reference.

Card 2/2

ASSOCIATION: Leningradskiy politekhnicheskij institut
(Leningrad Polytechnical Institute)

SUBMITTED: October 4, 1957

AUTHORS: Girshovich, N. G., Nekrasov, Ya. A. 507/163-88-2-12/46

TITLE: Determining the Duration of the Hardening in Casting Processes as a Scientific Method of Research (Opredeleniye - proizvoditel'nosti zatverdevaniya otlivok kak nauchnykh issledovaniy)

PERIODICAL: Nauchnyye doklady vysshey shkoly. Metallurgiya, 1948, Nr 2, pp. 77-83 (USSR)

ABSTRACT: The analytical and experimental determination of the duration and the kinetics of the hardening in the casting process are of great theoretical and practical importance. In the hardening process the structure of the cast is formed. The determination of the duration of hardening may be used as a method for the scientific investigation, and from the results obtained the physical constant of the alloys, the characteristics of the phase diagram, the characteristics of the crystallization of the alloys and also some mechanical properties of the alloys may be determined. The duration of hardening is expressed by the simple formula:

$$\tau = K \frac{Q_v^2}{\Theta_{crit}^2}$$

SCV/163-68-1-12/46

Determining the Duration of the Hardening in Casting Processes as a Scientific Method of Research

The dependence between the duration of hardening and the ratio

$\left(\frac{Q_v}{Q_{crit}}\right)^2$ is linear (see Fig 1). The prolongation of the

duration of hardening leads to a stabilization of the primary crystalline parts. The dependence between the duration of hardening and the size of the primary grains (P) of the alloys of the system Fe-Ni-Cr-C (with 0,12% C and 20% Cr) was found. There is a direct relation between the duration of hardening and the mechanical properties of the alloys. From the curves of the hardening curves may be seen that three periods occur. The hardening conditions of steel have an effect on the character of the crystallization of the steel alloys. In the case of a slow hardening and a longer crystallization range the hypphase zone is very big. Alloys with an extended biphasic zone of the hardening process have a comparatively long period of the liquidus state. An important relation between the duration of hardening and the fluidity was found, which may be expressed

the following way: $\lambda = f\left(t_h + \frac{T_0}{T_f}\right)$ (t_h = duration of harden.

SOV/161/58-0-12/46

Determining the Duration of the Hardening in Casting Processes as a Scientific
Method of Research

ing). The results obtained and the calculations of the duration of hardening show that a new and valuable method was found which supplies useful information as to the character of the crystallization, the phase diagram, the fluidity, the physical constants and the mechanical properties. There are 5 figures and 2 references, 2 of which are Soviet.

ASSOCIATION: Leningradskiy politekhnicheskii institut (Leningrad Polytechnical Institute)

SUBMITTED: October 1, 1957

GIRSHOVICH N.G.

117-58-5-23/24

AUTHOR: None Given

TITLE: All-Union Conference of Foundry Workers (Vsesoyuznoye soveshchaniye liteyshchikov)

PERIODICAL: Mashinostroitel', 1958, Nr 5, p 48 (USSR)

ABSTRACT: At the end of 1957, an All-Union conference took place in Moscow on scientific research in casting. After the plenary session the meeting broke up into the following 5 sections: iron casting, steel casting, technology of the casting form, non-ferrous casting, and equipment. A total of 45 reports were given. Representatives of the satellites also participated. V.M. Shestopal, Candidate of Technical Sciences (Giprostanok) reported on "The Latest in Projects of Foundry Shops and Plants". I.P. Yegorenkov, Candidate of Technical Sciences reported on "The Latest in Projects of Casting Machines". N.G. Girshovich, Professor and Doctor of Technical Sciences (LPI imeni Kalinin) reported on the important research work being accomplished in determining the continuity of solidification of castings. A.F. Landa, Professor, Yu.A. Litvintsev, Engineer and Florin of the Moskovskiy institut khimicheskogo mashinostroyeniye (Moscow Institut of Chemical Machine Build-

Card 1/3

All-Union Conference of Foundry Workers

117-58-5-23/24

ing) reported on increased corrosion resistance and heat resistance of high-test iron with ball-shaped graphite. A.Ye. Krivosheyev, Professor of the Dnepropetrovskiy metallurgicheskiy institut (Dnepropetrovsk Metallurgical Institute) reported on "The Crystallization of Chilled Iron". B.S. Mil'man, Candidate of Technical Sciences (TSNIIMASH) reported on "The Formation of Ball-Shaped Graphite and Prospects for Receiving High Test Iron". N.D. Titov, Candidate of Technical Sciences (Automobile Plant imeni Likhachev) reported on "Conveyor Mass Production at ZIL". G.I. Kletskin, Candidate of Technical Sciences (Stankolit) spoke on "Improvements of the Process of Melting Iron in Cupola Furnaces". N.V. Gel'perin, Candidate of Technical Sciences (NII TSKhM) reported on "Production of Crank Shafts for Tractor and Harvester Engines". I.N. Frolov, Engineer of the Barnaul'skiy koteln'yy zavod (Barnaul Boiler Plant) reported on the centrifugal casting of important iron and steel parts. Ye.M. Baturin, Engineer, reported on "Risers in Exothermic Heat Treatment". N.Ya. Kogan, Engineer, (VPTI, GLAVNIIP at GOSPLAN USSR) reported on "A New Technology of Producing Large Castings in Mechanized

All-Union Conference of Foundry Workers

117-52-5-23/24

Caissons". N.N. Belousov, Candidate of Technical Sciences and A.A. Dodonov, Engineer, K.G. Kovvi and S.G. Mednikov talked about casting under pressure by using a vacuum. G.S. Taburinskiy, Engineer (NIILITMASH) reported on automatic machines for shell moulds and cores. The work of the conference will be published in 1958.

AVAILABLE: Library of Congress

Card 3/3 1. Foundry workers-Conference-USSR

GIRSHOVICH, N. G.

PLANE I BOOK EXPLANATION 827/5559

Asimovskiy nauk SSSR. Institut metallurgii. Nauchnyy sovet po probleme termo-
prochnosti sployn

Izdatel'stvo po nauchnoy promyshlennosti, t. 5 (Investigations of Heat-Resistant
Alloys, Vol. 5). Moscow, Izd-vo AN SSSR, 1959. 425 p. Errors slip intercol.
2,000 copies printed.

Ed. of Publishing House: V.A. Kiselev, Tech. Ed.: I.P. Kuz'min; Editorial
Board: I.P. Bardis, Tech. Ed.: G.Y. Kuz'minov, Academician, S.V. Agayev,
Corresponding Member; USSR Academy of Sciences (Resp. Ed.), I.A. Odintsov,
I.M. Pavlov, and I.P. Zudin, Candidate of Technical Sciences.

PROLOGUE: This book is intended for metallurgical engineers, research workers
in metallurgy, and may also be of interest to students of advanced course
in metallurgy.

CONTENTS: This book, consisting of a number of papers, deals with the proper-
ties of heat-resistant alloys. Each of the papers is devoted to
the study of the factors which affect the properties and behavior of alloys.
The effects of various elements such as Cr, Mo, and V on the mechanical
properties of various alloys are studied. Deformation and the effect of
certain metals as related to the thermal conditions of operation are
another study described. The problem of liquid metal corrosion of alloys
and the deposition of ceramic coatings on metal surfaces by means of
electroplating are examined. One paper describes the apparatus and methods
used for growing large crystals of metals. Boron-base alloys are critically
examined and their properties are given. Results are given of studies of intermetallic
compounds and their behavior. The behavior of atoms in metal. Tests of turbine and compressor blades are
described. So personalities are mentioned. References accompany most
of the articles.

150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712

GIRSHOVICH, Naum Grigor'yevich, doktor tekhn. nauk, prof.; IOFFE, A.Ya.,
kand. tekhn. nauk, red.; GVIRTZ, V.L., tekhn. red.

[Present state of the graphitization theory] Sovremennoe sostoianie
teorii grafitizatsii; obzor. Leningrad, 1959. 90 p. (MIRA 14:10)
(Cast iron—Metallography)

SOV/148-59-2-13/24

18(3)

AUTHOR: Girshovich, N.G., Doctor of Technical Sciences, Professor

TITLE: The Problem of the Possibility of Graphite Crystallization
From Oversaturated Homogeneous Austenite (K voprosu o
vozmozhnosti kristallizatsii grafita iz peresyshchennogo
odnorodnogo austenita)

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy, Chernaya metallurgiya,
1959, Nr 2, pp 107-109 (USSR)

ABSTRACT: The possibility of the spontaneous formation of graphite
nuclei in oversaturated austenite was the subject of a
discussion between Professors K.P. Bunin and V.F. Zubarev.
Since the possibility of spontaneous nucleus formation was
accepted for liquid smelts, the author suggests to apply this
concept also for the solid state.

ASSOCIATION: Leningradskiy politekhnicheskii institut (Leningrad Polytech-
nical Institute)

SOV/122-59-3-34/42

AUTHOR: Girshovich, N.G., Doctor of Technical Sciences, Professor

TITLE: "The Design Strength of Cast Iron with Spheroidal Graphite" (Konstruktsionnaya Prochnost' Chuguna S Sharovidnym Grafitom) by Kudryavtsev, I.V., Savvina, N.M., Baranova, N.B. et al. Mashgiz.

PERIODICAL: Vestnik Mashinostroyeniya, 1959, Nr 3, pp 86-87 (USSR)

ABSTRACT: Indifferent review.

Card 1/1

24(2)

COV/128-50-7-13/85

AUTHOR: Girshovich, N.G., Doctor of Technical Sciences

TITLE: Interrelation Between the Processes of Solidification and Crystallization

PERIODICAL: Liteynoye Proizvodstvo, 1959, Nr 7, pp 31-34 (USSR)

ABSTRACT: The problem of solidification of liquid alloys is in the discussion stage: the physical process might be named solidification, but not so for the later starting crystallization, which has to be regarded as a physico-chemical process. These separate processes have been explained sufficiently in literature, but the interdependence of both these processes has not been examined sufficiently. The author accepts the experiments made by R.V. Zubov (Academy of Sciences, 1957) on Physico-Chemical Fundamentals of Steel Production as a basis. In connection with the existing differences of opinion with regard to the velocity of solidification and crystallization the author quotes

Card 1/2

SCM/120-50-7-13/85

Interrelation Between the Processes of Solidification and
Crystallization

M. Ferry (in Fonderie, 1957, Nr 141). His latest re-
search work (together with Yu. A. Nekhendzi published
in Doklady Vysshey Shkoly, 1958, Nr 1) has proved
that the transformation within the metal are not con-
trolled by the crystallization but by the process of
solidification. There are 4 diagrams and 9 references,
7 of which are Soviet and 1 English

GIRSHOVICH, N. G.

КАЧЕСТВО И СВОЙСТВА СТАЛИ

Д.Ф.Чернов	Исследования влияния электромагнитного поля на процесс прокатки стали
Н.С.Прасковин	Распределение механических свойств в слитках излившей стали
Л.И.Кручинин	Качество изготовления и свойства прокатанных листов
Ю.А.Николаев	Качество изготовления и свойства прокатанных листов
Н.Г.Гармашев	Качество изготовления и свойства прокатанных листов
В.В.Виноградов	Структурообразование и свойства сталей
В.Г.Гуров	Структурообразование и свойства сталей
С.А.Ивановский	Влияние температуры на свойства сталей
В.К.Ивановский	Влияние температуры на свойства сталей
А.С.Лобода	Влияние температуры на свойства сталей
В.Г.Кузнецов	Влияние температуры на свойства сталей
С.М.Гурьев	Влияние температуры на свойства сталей
В.М.Тареев	Влияние температуры на свойства сталей
Ю.П.Сыров	Влияние температуры на свойства сталей
В.М.Тареев	Влияние температуры на свойства сталей
Ю.П.Сыров	Влияние температуры на свойства сталей
А.Н.Мерин	Влияние температуры на свойства сталей
В.С.Романов	Влияние температуры на свойства сталей
Ю.А.Николаев	Влияние температуры на свойства сталей
В.П.Калашников	Влияние температуры на свойства сталей

report submitted for the 5th Physical Chemical Conference on Steel Production, Moscow-- 30 Jun 1959.

GIRSHOVICH, A.G.

TABLE 1. BOOK INFORMATION
BOY/4302

Abstracts and **Index**. Includes some of prebiotic atmospheric evolution
Extraterrestrial go **Microorganisms** **spines**, **com 6** (**Investigations of Earth-**
Related **Alloys**, **Vol. 6**) **McGraw**, 1950. 319 p. **Approx** **only** **inserted**
 3,000 **copies** **printed**.

Spawning began in late May. Initial water level was 1.0 m. By June, monthly score of problems that occurred was 1.0.

[illegible]

FURTHER: This book is intended for research workers in the field of physics of metals and for metallurgists, particularly those working on heat-resistant alloys.

[illegible]

Bartelme, R. B., L. M. Bultman, and L. R. Dink. Irrigation of the
Soil Moisture and Structure of Some Two-Node Alluvial Deposits on Their
Composition

Wright, James and V.E. Smyllin. Effect of Structure Stability on
Leaf Rustiness

Smalley, J. L. Psychosis, and 0.4% Delirium. Effect of the TMS factor on the character of the Diagnostic Categories: How Distinct are the Two-component System M-Gr - 4 - M - Al Allerg

Davidson, R.J., and V.A. Hildebrand. The Present State of the Problem of Irreversible Thermal Expansion of Solid Bodies 204

Pydman, D. B. Four Periods of Macroscopic Flow, Creep, and Failure 299

Investigation of Information and Failure of High-Alloying Steels
Bakhtiev I. A., Baidakov V. P., Gerasimov V. Ya., Zhigalov
300

L.V. EISENBERG, M.P. KERNOWITZ, and Mrs. M. J. EISENBERG
Short-Relevant Allies

Retelling of the story. In the telling of the story structure of Baybars in Book 10 is also All's

ANNALS: Library of Congress

Carl S. Nov. 18, 1906

Leningrad. Politekhnikeskoy Institut

PHASE I BOOK EXPLOITATION NOV/4199

Soyezheniya doshtizheniya liyaznoy proizvodstva! (Tudy
sachivatorskiy nauchno-tekhnicheskiy konferentsii (Recent
Achievements in Founding Transactions of the Scientific
and Technical Conferences of Schools of Higher Education)
Moscow, Mendeleyev, 1970. 336 p. Biretta slip inserted.
5,000 copies printed.

Assoc. Ed.: Yu. A. Mikhmedel, Doctor of Technical Sciences; Professor, Kda. 1, N. O. Ulmanovskan, Doctor of Technical Sciences, Professor, and K. P. Lebedev, Doctor; Managing Ed. for Literature on Navy Machine Building (Leningrad Department, Nakhiz): Ye. F. Nemay, Engineer; Techn. Ed.: Ye. A. Dugomirskiy, and L. V. Shobestina.

PURPOSE: This book is intended for the technical personnel of foundries. It may be used by students of the field.

CONTENTS: This collection of articles discusses problems in founding processes. Individual articles treat: the solidification of metals and their alloys; mechanization and automation of casting processes; aspects of the manufacture of steel; cast iron; and nonferrous metal castings. No personal essays are included. References accompany individual articles.

Basic Activities in Public (Cont'd) SOV/2199

38. Reaction of the Atmosphere in the Field of Production of Magnesium Cast Iron With Specialized Graphite 273
 39. Investigation of the Improvement of Magnesium-Modified Cast Irons by the Use of Specialized Graphite 281
 40. Reaction of the Atmosphere on the Structure and Mechanical Properties of Gray Cast Iron 285
 41. Effect of Magnesium on the Investigation of Graphitizing the Magnesium-Modified Cast Iron With Specialized Graphite 292
 42. Investigation of the Effect of the Structure and Its Effect on Cast Iron Properties 299
- VII. NONFERROUS METAL CASTINGS
43. Chemical and Mechanical Problems of Grain Refining of Some Copper Alloys 309

6/8 2000

NEKHENDZI, Yu.A., prof., doktor tekhn.nauk, otv.red. (Leningrad);
GIRSHOVICH, N.G., prof., doktor tekhn.nauk, red. (Leningrad);
LEBEDEV, K.P., dotsent, red.; DLUGOKANSKAYA, Ye.A., tekhn.
red.; SHCHETININA, L.V., tekhn.red.

[Modern achievements in foundry practice; transactions of the
Intercollegiate Scientific Technological Conference] Trudy
Mezhvuzovskoy nauchno-tekhnicheskoy konferentsii. Sovremennye
dostizheniia liteinogo proizvodstva. Moskva, Gos.nauchno-
tekhn.izd-vo mashinostroit.lit-ry, 1960. 338 p.

(MIRA 13:6)

1. Mezhvuzovskaya nauchno-tekhnicheskaya konferentsiya, 1957.
(Founding)

GIRSHOVICH, N.G.

Effect of overheating during melting and modification on the
properties of gray cast iron. *Idt.proizv. no.7:26-32* Je '60.
(MIRA 13:7)

(Cast iron)

(Metals, Effect of temperature on)

NEKHENDZI, Yu.A.; GIRSHOVICH, N.G.; GRUZYKH, I.V.; BILYKH, V.Ya.;
KUPISOV, I.V.; SIMANOVSKIY, M.P.; ANTIPOV, M.V.

Foundry properties of heat-resistant alloys. Issl. po zharopr.
splav. 6:308-313 '60. (MIRA 13:9)
(Heat-resistant alloys) (Founding)

PHASE I BOOK EXPLOITATION SOV/5458

Girshovich, Naum Grigor'yevich, Doctor of Technical Sciences, Professor, ed.

Spravochnik po chugunnomu lit'yu (Handbook on Iron Castings) 2d ed., rev. and enl. Moscow, Mashgiz, 1961. 800 p. Errata slip inserted. 16,000 copies printed.

Reviewer: P. P. Berg, Doctor of Technical Sciences, Professor; Ed.: I. A. Baranov, Engineer; Ed. of Publishing House: T. L. Leykina; Tech. Eds.: O. V. Speranskaya and P. S. Frumkin; Managing Ed. for Literature on Machine-Building Technology (Leningrad Department, Mashgiz): Ye. P. Naumov, Engineer.

PURPOSE: This handbook is intended for technical personnel at cast-iron foundries. It may also be of use to skilled workmen in foundries and students specializing in founding.

COVERAGE: The handbook contains information on basic problems in the modern manufacture of iron castings. The following are discussed: the composition and properties of the metal; the making of molds; special casting methods; the charge preparation; melting

Card 1/11

Handbook on Iron Castings

SOV/5458

and modifying the cast iron; pouring, shaking out, and cleaning of castings; heat-treatment methods; and the inspection and rejection of castings. Information on foundry equipment and on the mechanization of castings production is also presented. The authors thank Professor P. P. Berg, Doctor of Technical Sciences, and staff members of the Mosstankolit Plant, headed by the chief metallurgist G. I. Kletskin, Candidate of Technical Sciences, for their assistance. References follow each chapter. There are 287 references, mostly Soviet.

TABLE OF CONTENTS:

Foreword [N. G. Girshovich]	3
Ch. I. Composition and Properties of Cast Iron (N. G. Girshovich)	5
1. Equilibrium diagram, classification, and the structure of cast iron	5
2. Effect of various factors on the structure of cast iron	15

Card 2/11

Handbook on Iron Castings

SOV/5458

- | | |
|--|----|
| 3. Casting properties of cast iron and phenomena related to them | 16 |
| 4. Mechanical properties of cast iron | 24 |
| 5. The process, chemical, and physical properties of cast iron | 33 |
| Process properties | 33 |
| Chemical properties | 33 |
| Physical properties | 37 |
| 6. Selecting the composition of iron for casting | 40 |

Bibliography	66
--------------	----

Ch. II. Planning the Mold-Production Process	67
--	----

- | | |
|--|----|
| 1. Principles for selecting the mold-production method (I. A. Baranov) | 67 |
| 2. Geometric accuracy of castings and methods of improving it (F. D. Obolentsev) | 70 |
| 3. Easy manufacturability of castings (N. V. Vishnyakov) | 75 |
| 4. Selecting the position of a casting in the mold (M. M. Vyshemirskiy) | 87 |

Card 3/11

Handbook on Iron Castings

SOV/5458

- | | |
|---|-----|
| 4. Continuous casting | 467 |
| Manufacture of tubes and round billets (A.D. Popov) | 467 |
| Manufacture of cast-iron sheets (Ye. G. Nikolayenko,
D. I. Yasskiy, and S. L. Burov) | 471 |

Bibliography

476

- | | |
|--|-----|
| Ch. VI. Preparation of the Charge, Melting, and Treatment
of Molten Cast Iron | 478 |
|--|-----|

- | | |
|--|-----|
| 1. Materials used in cast-iron melting (A. N. Sokolov) | 478 |
| 2. Preparation of the charge for making cast iron (A. Ya.
Ioffe) | 506 |
| 3. Melting in cupolas | 513 |
| Fundamentals of melting cast iron in a cupola (N. G.
Girshovich) | 513 |
| Designs of cupolas (M. N. Urin) | 520 |
| Mechanization and automation of the cupola operation
(M. N. Urin) | 553 |
| Melting in cupolas and the elimination of troubles
(A. Ya. Ioffe) | 562 |
| 4. Melting in electric furnaces (A. N. Sokolov) | 566 |

Card 7/11

Handbook on Iron Castings

SOV/5458

2. Solidification and cooling of castings in a mold (N. G. Girshovich and I. P. Yegorenkov) 647
3. Mechanization of the shaking out of molds (M. I. Dunayevskiy and B. P. Yegorov) 653
4. Mechanization of the cleaning and chipping of castings (M. I. Dunayevskiy and B. P. Yegorov) 659
5. Safety measures (Ye. B. Immerman) 675

Bibliography

676

- Ch. VIII. Heat Treatment of Iron Castings (N. G. Girshovich) 677
1. Classification of heat-treatment regimes 677
 2. Stress relief 677
 3. Graphitizing annealing 679
 4. Spheroidizing annealing 687
 5. Decarturizing annealing 687
 6. Normalizing, quench hardening, and tempering 688

Bibliography

696

Card 9/11

GIRSHOVICH, N.G.

Analysis of preshrinkage expansion and the volume of shrinkage
cavities in cast iron. Lit. proizv. no. 2:27-31 F '61.

(MIRA 14:4)

(Expansion (Heat)) (Cast iron—Defects)

GIRSHOVICH, N.G. (Leningrad); NEKHENDZI, Yu.A. (Leningrad)

Isotherms or lines of equal overheating? Izv. AN. SSSR. Otd.
tekh. nauk. Met. i topl. no.3:140-142 My-Je '61. (MIRA 14:7)
(Metals--Thermal properties) (Curves, Isothermal)

GIRSHOVICH, Naum Grigor'yevich, doktor tekhn. nauk, prof., red.;
IOFFE, A.Ya., kand. tekhn. nauk, red.; BORODULINA, I.A.,
red. izd-va; SHCHETININA, L.V., tekhn. red.

[Production and properties of cast iron with spheroidal
graphite] Poluchenie i svoistva chuguna s sharovidnym
grafitom. Moskva, Mashgiz, 1962. 351 p. (MIRA 15:4)
(Cast iron--Metallography)

GIRSHOVICH, N.G.; NEKHENDZI, Yu.A.

Effect of inoculation on the crystallization of alloys. Lit. proizv.
no.5:19-25 My '42; (MIRA 16:3)
(Founding) (Crystallization)

GIRSHOVICH, N.G.; SIMANOVSKIY, M.P.

Bending of castings during cooling in the mold. Lit. proizv.
no.2:22-26 F '63. (MIRA 16:3)
(Metal castings--Defects) (Thermal stresses)

GIRSHOVICH, N.G.; LEBEDEV, K.P.; NEKHENDZI, Yu.A.

Expansion of ferrous and nonferrous alloys before shrinkage. Lit.proizv.
no.4:23-28 Ap '63. (MIRA 16:4)
(Alloys) (Expansion (Heat))

GIRSHOVICH, N.G.

Mechanism and calculations of casting sags in molds. Lit.
proizv. no.6:47-48 Je '63. (MIRA 16:7)

(Founding--Defects)

GIRSHOVICH, N.G.; NEKHENDZI, Yu.A.

Theoretical basis of investigating the founding properties of
alloys. Trudy LPI no. 224:24-60 '63. (MIRA 17:9)

GIRSHOVICH, N.G., doktor tekhn.nauk; IOFFE, A.Ya., kand.tekhn.nauk; ALEXSEYEV, A.G., inzh.

Effect of shape on the shrinkage defects and the accuracy of iron castings. Lit. proizv. no.7:29-32 JI '65.

(MIRA 18:8)

"APPROVED FOR RELEASE: Tuesday, September 17, 2002

CIA-RDP86-00513R000

APPROVED FOR RELEASE: Tuesday, September 17, 2002

CIA-RDP86-00513R0005

I 23859-66 ENT(1)/ENP(m)/ENA(d)/ENC(m)-6/ENR(1)
ACC NR: AP6010858

SOURCE CODE: UR/0421/66/000/001/0151/0153

AUTHOR: Girshovich, T. A. (Moscow)

ORG: none

TITLE: A turbulent jet in a drifting flow

SOURCE: AN SSSR. Izvestiya. Mekhanika zhidkosti i gaza, no. 1, 1966, 151-153

TOPIC TAGS: fluid mechanics, jet stream, jet flow, shear stress, pressure gradient, velocity profile

ABSTRACT: The problem of two-dimensional jet issuing from an infinite thin slot and expanding at a certain angle toward an infinite flow is approximately formulated. It is assumed that the jet axis is a streamline, the shear stress on the axis is equal to zero, and the transverse displacement of the jet axis is constant. The solution is obtained by using the well-known integral method of the boundary layer theory. The jet parameters such as axial velocity the external and internal boundaries of the jet are determined. The velocity profile is obtained by the Prandtl formula for shear stress. It is shown that the longitudinal and transverse pressure gradients have no effect on the relative velocity profile. Orig. art. has: 1 figure and 18 formulas. [AB]

SUB CODE: 20/ SUBM DATE: 20Mar65/ ORIG REF: 007/ OTH REF: 002

Cord 1/1 dda

ACC NR: AP6034548

SOURCE CODE: UR/0421/66/000/005/0121/0126

AUTHOR: Girshovich, T. A.

ORG: none

TITLE: Theoretical and experimental study of a flat turbulent jet in a cocurrent flow

SOURCE: AN SSSR. Izvestiya. Mekhanika zhidkosti i gaza, no. 5, 1966, 121-126

TOPIC TAGS: jet flow, jet mixing, jet propulsion, ~~air-breathing engine~~ turbulent jet, turbulent mixing

ABSTRACT: An analysis was made of the initial section of a flat turbulent jet discharging into a cocurrent stream, and the results were compared with experimental data. The analysis was made in a system of curvilinear orthogonal coordinates where the curved jet axis was taken as the abscissa and the normal to it as the ordinate. The following assumptions were made: the jet axis is the zero flow line; the curvature radius of the jet axis is constant in the initial section; in the flow core, which has a constant total pressure, the transverse velocity is considerably smaller than the longitudinal velocity; the mixing path lengths are different in the external and internal mixing zones; the

Card 1/4

ACC NR: AP6034548

mixing path length is proportional to the thickness of the mixing zone; and in each mixing zone the velocity profiles are similar. The following system of ordinary differential equations was derived and solved on an electronic computer:

$$\begin{aligned}
 f_1 b_1' + f_2 y_{21}' + f_3 &= 0, \quad f_4 b_1' + f_5 y_{21}' + f_6 = \pm \frac{103}{35} \beta^2 (u_{11} - u_{8, i})^2, \\
 \left(\beta^2 = \frac{l_1}{b_1^2} - \frac{l_2}{b_2^2} \right) \\
 f_1 &= \frac{9}{70} u_{8, i}^2 - \frac{13}{35} u_{11}^2 + \frac{17}{70} u_{11} u_{8, i} + \frac{bi}{35R} (6u_{11}^2 - 20u_{8, i}^2 + 9u_{11} u_{8, i}) \\
 f_2 &= \frac{bi}{70R} (78u_{11}^2 + u_{11} u_{8, i} + 26u_{8, i}^2) - u_0 (u_{11} - u_{8, i}) \exp \left[-\frac{b_{01} + y_{21}}{R} \right] \\
 f_3 &= \frac{u_{8, i}}{70} \left[b_1 (53u_{8, i} - 18u_{11}) + \frac{b_1^2}{R} (40u_{8, i} + 9u_{11}) \right] \\
 f_4 &= -\frac{1}{140} (43u_{11}^2 + 113u_{8, i}^2 + 27u_{11}^2 u_{8, i} + 97u_{11} u_{8, i}^2) + \\
 &\quad + \frac{bi}{R} \left(\frac{155}{462} u_{11}^2 - \frac{241}{385} u_{11}^2 u_{8, i} + \frac{2033}{770} u_{11} u_{8, i}^2 - \frac{1}{10} u_{8, i}^3 \right) \\
 f_5 &= -u_0 (u_{11}^2 - u_{8, i}^2) \exp \left[-\frac{b_{01} + y_{21}}{R} \right] + \frac{bi}{R} \left(\frac{43}{28} u_{11}^2 + \frac{27}{35} u_{11}^2 u_{8, i} + \right. \\
 &\quad \left. + \frac{151}{140} u_{11} u_{8, i}^2 + \frac{43}{70} u_{8, i}^3 \right) \\
 f_6 &= \frac{u_{8, i} b_1}{140} (59u_{8, i}^2 + 27u_{11}^2 - 86u_{11} u_{8, i}) + \frac{b_1^2}{11R} \left(\frac{61}{21} u_{11}^2 + \frac{523}{21} u_{11} u_{8, i} - \frac{37}{6} u_{11}^2 \right) u_{8, i}
 \end{aligned}$$

ACC NR: AP6034548

where $i = 1$ for the external mixing zone; $i = 2$ for the internal mixing zone; $u_{\delta, 1}$ = the velocity at the outer boundary of the mixing zone; u_{11} = the velocity at the boundary of the flow core; and b_1 = the width of the mixing zone. Results calculated by the equation are plotted in Fig. 1. For purposes of comparison, experiments were conducted with a




Fig. 1. Change of the boundaries of the flow core and thickness of the mixing zone for $\beta = 0.09$ for various velocity ratios of the jet and the cocurrent stream.

ACC NR: AP6034548

1.5-mm wide nozzle, 300 mm long to study the main section and with a 5-mm wide nozzle, 100 mm long for the initial section. The theoretical solution quantitatively and qualitatively described the jet propagation with the exception of the jet axis which was actually more curved than the theoretically calculated axis. Orig. art. has: 7 figures and 8 formulas. [WA-68]

SUB CODE: 20/ SUBM DATE: 23Jun66/ ORIG REF: 003

GIRSHOVICH, V., inzh; YUROV, I., inzh.

New carburetors for "Moskvich" automobiles. Za rul. 17 no.11:
18-20 N '59. (MIRA 13:4)

1. Leningradskiy karbyuratornyy zavod imeni Kuybysheva.
(Automobiles--Engines--Carburetors)

GIRSHOVICH, Ye.I.

Treatment of closed fractures of the diaphysis of the hip. Trudy
Len.gos.nauch.-issl.inst.travm.i ortop. no.7:105-119 '58.

(MIRA 13:6)

1. Iz otdeleniya neotlozhnoy travmatologii Leningradskogo insti-
tuta travmatologii i ortopedii i travmatologicheskogo otdeleniya
bol'nitsy imeni Volodarskogo.

(HIP JOINT--FRACTURE)

GIRSHOVICH, Ye.I.

Reduction of dislocations of the lower jaw. E.I. Girshovich.
Ortop.travm. i protez 19 no.2:67-68 Mr-Ap '58 (MIRA 11:5)

1. Iz bol'nitsy im. Volodarskogo (glavnyy vrach - N.M.
Krasil'nikov), Leningrad.
(JAWS--DISLOCATION)

GIRSHOVICH, Y. I.: *Medits Med Sci (Nica)* -- "The treatment of concealed breaks of the diaphysis of the femur". Leningrad, 1959. 16 pp (Mir Health RCFSR, Leningrad Med Inst in Acad I. P. Pavlov), 200 copies (KL, No 17, 1959, 110)

GIRSHOVICH, Ye.S., kandidat tekhnicheskikh nauk.

Introducing cermet tools in the plants of the ministry. Stroitel.
dor.mashinostr. i no.1:28-29 Ja 56. (MIRA 10:1)
(Cutting tools) (Powder metallurgy)

GIRSHOVICH, Ye.S., kand.tekhn.nauk. .

Economic efficiency of using bimetallic and screwed bushings.
Trakt. i sel'khoz mash. no.11:42-43 N '59. (MKRA 13:3)

1. Nauchno-issledovatel'skiy institut Traktoro sel'khoz mash.
(Bearings(Machinery))

GIRSHOVICH, Ye.S., kand.tekhn.nauk

Machining a group of parts on a quickly readjusted machine-tool unit. Trakt. i sel'khoz mash. 30 no. 12:34-36 D '60.

(MIRA 13:12)

1. Nauchno-issledovatel'skiy institut tekhnologii traktornogo i sel'skokhozyaystvennogo mashinostroyeniya.
(Machine-shop practice)

GIRSHOVICH, Ye.S., kand.tekhn.nauk; TRIFONOV, O.N., inzh.

Technological parameters of cutter heads of small milling machinery units. Trakt.i sel'khoz mash. 31 no.2:40-42 F '61. (MIRA 14:7)

1. Nauchno-issledovatel'skiy institut tekhnologii traktornogo i sel'skokhozyaystvennogo mashinostroyeniya.
(Milling machines)

GIRCHOVICHUS, S.Kh.; GIRCHOVICHUS, I.Kh.

Three-dimensional field of a magnetic recording head. Radio-
tekhnika 19 no. 4:76-79 Apr '64. (MIRA 17:5)

1. Dostavitel'nyye chleny Nauchno-tehnicheskogo obshchestva
radiotekhniki i elektrosvyazi imeni Iopova.

6(5)

06267

SOV/107-59-6-31/50

AUTHORS: Naydenov, A., Vorontsov, N., Girshovichus, S.

TITLE: Tape Recorder "El'fa-10"

PERIODICAL: Radio, 1959, Nr 6, pp 27-29 (USSR)

ABSTRACT: The Elektrotekhnicheskiy zavod "El'fa" (Electrical Equipment Plant "El'fa") developed the tape recorder "El'fa-10" ("Spalis") which is now in production. The electrical parameters of the tape recorder are in accordance with GOST 8088-56 for group "19". The tape winding mechanism is explained in three diagrams, Figures 1-3. The principal circuit diagram is shown in Figure 4. The tape recorder is designed for a tape speed of 190.5 mm/sec and for 360-m spools; recording or play-back on one track lasts 30 minutes. The second track is used by changing the spools. The recording level is controlled by a "magic eye", tube 6Ye5S. A keyboard-type switch is used. The three-stage preamplifier consists of one

Card 1/2

06267

30V/107-59-6-31/50

Tape Recorder "El'fa-10"

6N2P and one triode of tube 6N1P. The other triode of the 6N1P works in the magnetizing and erasing generator. The generator consists of a tapped-coil circuit and works on 25 kc. The magnetizing current is 1.2 milliamps, the erasing current 45 milliamps. The LF output stage consists of one 6P14P tube. A full-wave rectifier is used, consisting of one 6Ts4P. For reducing background noise, the heating filament of tube 6N2P is fed by dc from a rectifier consisting of diodes DG-Ts24. The tone color control provides a steep slope of the frequency response curve at a frequency of 8,000 cycles of not less than 10db. At a frequency of 1,000 cycles, the voltage change does not exceed 3 db. Power consumption is 75 watts from 127- or 220-volt mains. Dynamic microphone MD-41 is used. The tape recorder is delivered with three spools, two of which hold tape. One of the spools is fastened inside of the cover. There are 1 circuit diagram, 3 diagrams, 1 sketch, and 2 tables.

Card 2/2

GIRSHOVICHUS, S.Kh., inzh.; LENDOVER, A.D., inzh.; SEDOV, I.N., inzh.

The "GARSAS" dictaphone. Mekh.i avtom.proizv. 1' no.9:47-50 S
'63. (MIRA 16:10)

GIRSHOVICHUS, S.Kh.; GIRSHOVICHUS, I.Kh.

Three-dimensional field of a magnetic recording head. Radio-
tekhnika 19 no. 4:76-79 Apr '64. (MIRA 17:5)

1. Derstvitel'nyye chleny Nauchno-tekhnicheskogo obshchestva
radiotekhniki i elektrosvyazi imeni Popova.

1. GORB, T. V., Prof.; GIRSHPAK, V. G.
2. USCH (600)
4. Karakul Sheep - Ukraine
7. Feeding and maintenance of Karakul ewes in the Ukraine. Isr. J. Zver. 6, No. 1, 1953.
9. Monthly List of Russian Accessions, Library of Congress, June 1953, Uncl.

"APPROVED FOR RELEASE: Tuesday, September 17, 2002

CIA-RDP86-00513R000

~~APPROVED FOR RELEASE: Tuesday, September 17, 2002~~

~~CIA-RDP86-00513R0005~~

GIRSETEL', B.I.

DECEASED

1961/3

c1961

SEE ILC

CONSTRUCTION INDUSTRY

ZHILKIN, I., arkhitektor; GIRSHTEL', G., inzh.

Factory finishing of wall slabs. Zhil. stroi. no.4:19-21 '62.

(MIRA 15:5)

(Finishes and finishing) (Concrete walls)

ZHILKIN, I., arkhitektor; GIRSHTEL', G., inzh.

Industrial wastes for finishing wall panels. Zhil. stroi. no.1:
20-22 '62. (MIRA 16:1)

(Finishes and finishing)
(Lugansk Economic Region--Walls)

SHUPOV, L.P.; BELONozhko, I.F.; GISHCHUK, B.V.; KONONOVA, A.P.; MASLENNIKOVA, K.P.; SVERDEL', E.I.; ARTEMOVA, A.A.

Selection of a synthetic fiber filter cloth for thin iron ore concentrators. Gor.zhur. no.10:60-62 O '64.

(MIRA 18:1)

1. Nauchno-issledovatel'skiy i proyektivnyy institut po obogashcheniyu i aglomeratsii rud chernykh metallov, Krivoy Rog (for Shupov, Belonozhko, Gishchuk). 2. Ukrainskiy nauchno-issledovatel'skiy institut po pererabotke iskusstvennogo i sinteticheskogo volokna (for Kononova, Maslennikova). 3. Yuzhnyy gorno-obogatitel'nyy kombinat, Krivoy Rog (for Sverdel', Artemova).

"APPROVED FOR RELEASE: Tuesday, September 17, 2002
APPROVED FOR RELEASE: Tuesday, September 17, 2002

CIA-RDP86-00513R000
CIA-RDP86-00513R0005

GIRSHVAL'D, L.Ya.

[History of the invention of logarithms] Istoriia otkrytiia logarifmov.
Khar'kov, Izd-vo gos. univ., 1952. 31 p. (MLRA 9:9)
(Logarithms)

GIRSHVAL'D, L. Ya.

Probability theory at Kharkov University. Uch.zap.KhGU 65:65-73
'56. (MLRA 10:7)
(Kharkov--Probabilities--Study and teaching)

GORDEVSKIY, Dmitriy Zakharovich; LEYBIN, Aleksandr Sergeyevich;
GIRSHVAL'D, L.Ya., dots., retsenzent; GAYDUK, Yu.M.,
retsenzent; BLANK, Ya.P., prof., otv. red.; NESTERENKO,
A.S., red.

[Popular introduction to multidimensional geometry] Popu-
liarnoe vvedenie v mnogomernuiu geometriiu. Khar'kov, Izd-
vo Khar'kovskogo univ., 1964. 190 p. (MIRA 17:5)

12442-55 INT(S)/ECO 1P44 APSTB ON

ACCESSION NR: AT4047618

5/2531/84/000/164/0021/0026

AUTHOR: Vorobyeva, Ye. V. (Candidate of geographical sciences); G. S. Vorobyev

TITLE: Characteristic of the ice-free season for the European part of the USSR and western Siberia in relation to the intensity of circulation in the Arctic sector of the Northern Hemisphere

SOURCE: Leningrad, Glavnaya geofizicheskaya observatoriya. Trudy, no. 104, 1964. Obshchaya i sinopticheskaya klimatologiya (General and synoptic climatology), 21-28

TOPIC TAGS: atmospheric circulation, climatology, weather forecasting, long-range weather forecasting

ABSTRACT: In an after investigation (Sopryazhennost' atmosferykh protsessov v severnom poluarke), Gidrometizdat, Leningrad, 1962), Ye. V. Vorobyeva demonstrated that the development of atmospheric processes in the Arctic

I 3242-65

ACCESSION NR: AT4047618

sector; the atmospheric processes in the Eurasian part of the hemisphere have a more meridional character. In the above-cited reference the study was for the winter season only, creating the impression that the mentioned properties of atmospheric circulation may be most characteristic for that season because at that time the meridional temperature and pressure gradients between the equator and pole are great and therefore the intensity of zonal transport is maximal. In this

"APPROVED FOR RELEASE: Tuesday, September 17, 2002
APPROVED FOR RELEASE: Tuesday, September 17, 2002

CIA-RDP86-00513R000
CIA-RDP86-00513R0005

VOROB'YEVA, Ye.V., kand. geofraf. nauk; GINSKAYA, E.I.

Characteristics of the spring--summer season for the
European territory of the U.S.S.R. and western Siberia
in connection with the circulation intensity in the American
sector of the Northern Hemisphere. Trudy GGO no.164:21-28 '64.
(MIRA 17:9)

GIRSKIY, V.A.

BOTVINKO, M.Ye., laureat Stalinskoy premii, inzhener; GIRSKIY, V.A., laureat Stalinskoy premii, inzhener; GORBATOV, N.A., laureat Stalinskoy premii, inzhener [deceased]; LAPIR, F.A., laureat Stalinskoy premii, inzhener; BROMBERG, A.A., professor, redaktor; ARSEN'YEV, A.A., kandidat tekhnicheskikh nauk; TOVSTOLUZHSKIY, N.I., redaktor; KOVALIKHINA, N.F., tekhnicheskiiy redaktor

[Concrete, asphalt concrete and rock crushing plants in road building; planned designs and standard equipment] Betonnye, asfal'tobetonnye i kammedrobil'nye zavody na dorozhnom stroitel'stve; proektnye reshenia i tipovoe oborudovanie. Pod red. A.A.Bromberga. Moskva, Ministerstvo avtomobil'nogo transporta i shosseinykh dorog SSSR. Pt. 1. [Rock crushing, cement, and concrete plants and centers for the manufacture of concrete plates and reinforced concrete building units] Kamnedrobil'nye i tsementobetonnye zavody tsakhi i bazy dlia izgotovlenia betonnykh plit i zhelezobetonnykh detalei. 1954. 160 p. [Microfilm]
(Concrete) (Asphalt concrete) (MLRA 7:10)
(Stone, Crushed)